J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865 MATERIAL SAFETY DATA SHEET

24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151 CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

69 M05

MAGNESIUM NITRATE, 6-HYDRATE

PAGE: 1

EFFECTIVE: 01/04/94

ISSUED: 01/15/94

J.T.BAKER INC., 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865

SECTION I - PRODUCT IDENTIFICATION

PRODUCT NAME: MAGNESIUM NITRATE, 6-HYDRATE

COMMON SYNONYMS: MAGNESIUM(II) NITRATE; NITRIC ACID, MAGNESIUM SALT

CHEMICAL FAMILY: MAGNESIUM COMPOUNDS

FORMULA: MG(NO3)2 6H2O FORMULA WT.: 256.41 CAS NO.: 13446-18-9 NIOSH/RTECS NO.: OM3750000

PRODUCT USE: LABORATORY REAGENT

PRODUCT CODES: 2473,2468

PRECAUTIONARY LABELING

BAKER SAF-T-DATA* SYSTEM

HEALTH - 2 MODERATE
FLAMMABILITY - 0 NONE
REACTIVITY - 3 SEVERE (OXIDIZER)
CONTACT - 2 MODERATE

LABORATORY PROTECTIVE EQUIPMENT

GOGGLES; LAB COAT; VENT HOOD; PROPER GLOVES

U.S. PRECAUTIONARY LABELING

DANGER

CAUSES IRRITATION. STRONG OXIDIZER. CONTACT WITH COMBUSTIBLE MATERIALS, FLAMMABLE MATERIALS, OR POWDERED METALS CAN CAUSE FIRE OR EXPLOSION. KEEP FROM CONTACT WITH CLOTHING AND OTHER COMBUSTIBLE MATERIALS. DO NOT STORE NEAR COMBUSTIBLE MATERIALS. AVOID CONTACT WITH EYES, SKIN, CLOTHING. KEEP IN TIGHTLY CLOSED CONTAINER. WASH THOROUGHLY AFTER HANDLING. IN CASE OF FIRE, SOAK WITH WATER. IN CASE OF SPILL, SWEEP UP AND REMOVE. FLUSH SPILL AREA WITH WATER.

INTERNATIONAL LABELING

DO NOT BREATHE DUST. AVOID CONTACT WITH SKIN AND EYES.

SAF-T-DATA* STORAGE COLOR CODE: YELLOW (REACTIVE)

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865 MATERIAL SAFETY DATA SHEET 24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151

CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

MAGNESIUM NITRATE, 6-HYDRATE M0169 M05 PAGE: 2 EFFECTIVE: 01/04/94 ISSUED: 01/15/94

SECTION II - COMPONENTS

<u>CAS NO.</u> <u>WEIGHT % OSHA/PEL</u> 10377-60-3 98-100 N/E COMPONENT MAGNESIUM NITRATE

SECTION III - PHYSICAL DATA

BOILING POINT: N/A VAPOR PRESSURE (MMHG): N/A

MELTING POINT: 95 C (203 F) VAPOR DENSITY (AIR=1): N/A

(AT 760 MM HG)

SPECIFIC GRAVITY: 1.46 EVAPORATION RATE: N/A

(H20=1)

SOLUBILITY(H20): APPRECIABLE (>10%) % VOLATILES BY VOLUME: 0

(21 C)

NFPA 704M RATING: 1-0-0 OXY

PH: N/A

ODOR THRESHOLD (P.P.M.): N/A PHYSICAL STATE: SOLID

COEFFICIENT WATER/OIL DISTRIBUTION: N/A

APPEARANCE & ODOR: CLEAR, COLORLESS CRYSTALS. ODORLESS.

______ SECTION IV - FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (CLOSED CUP): N/A

AUTOIGNITION TEMPERATURE: N/A

FLAMMABLE LIMITS: UPPER - N/A LOWER - N/A

FIRE EXTINOUISHING MEDIA

SOAK WITH WATER, WATER SPRAY.

SPECIAL FIRE-FIGHTING PROCEDURES

FIREFIGHTERS SHOULD WEAR PROPER PROTECTIVE EQUIPMENT AND SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN POSITIVE PRESSURE MODE. MOVE CONTAINERS FROM FIRE AREA IF IT CAN BE DONE WITHOUT RISK. WATER TO KEEP FIRE-EXPOSED CONTAINERS COOL.

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865 MATERIAL SAFETY DATA SHEET 24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151

CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

69 M05 MAGNESIUM NITRATE, 6-HYDRATE PAGE: 3 EFFECTIVE: 01/04/94 ISSUED: 01/15/94

SECTION IV - FIRE AND EXPLOSION HAZARD DATA (CONTINUED) _____

UNUSUAL FIRE & EXPLOSION HAZARDS

STRONG OXIDIZER. CONTACT WITH COMBUSTIBLE MATERIALS, FLAMMABLE MATERIALS, OR POWDERED METALS CAN CAUSE FIRE OR EXPLOSION. CLOSED CONTAINERS EXPOSED TO HEAT MAY EXPLODE.

TOXIC GASES PRODUCED OXIDES OF NITROGEN

EXPLOSION DATA-SENSITIVITY TO MECHANICAL IMPACT NONE IDENTIFIED.

EXPLOSION DATA-SENSITIVITY TO STATIC DISCHARGE NONE IDENTIFIED.

SECTION V - HEALTH HAZARD DATA

THRESHOLD LIMIT VALUE (TLV/TWA): NOT ESTABLISHED

SHORT-TERM EXPOSURE LIMIT (STEL): NOT ESTABLISHED

PERMISSIBLE EXPOSURE LIMIT (PEL): NOT ESTABLISHED

TOXICITY OF COMPONENTS

NO INFORMATION IS AVAILABLE

CARCINOGENICITY: NTP: NO IARC: NO Z LIST: NO OSHA REG: NO

CARCINOGENICITY

NONE IDENTIFIED.

REPRODUCTIVE EFFECTS NONE IDENTIFIED.

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865 MATERIAL SAFETY DATA SHEET 24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151

CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

M0169 M05 MAGNESIUM NITRATE, 6-HYDRATE PAGE: 4 EFFECTIVE: 01/04/94 ISSUED: 01/15/94

SECTION V - HEALTH HAZARD DATA (CONTINUED)

EFFECTS OF OVEREXPOSUR

INHALATION: NONE IDENTIFIED

SKIN CONTACT: IRRITATION

EYE CONTACT: IRRITATION

SKIN ABSORPTION: NONE IDENTIFIED

INGESTION: NONE IDENTIFIED

CHRONIC EFFECTS: NONE IDENTIFIED

TARGET ORGANS

EYES, SKIN

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE NONE IDENTIFIED

PRIMARY ROUTES OF ENTRY

EYE CONTACT, SKIN CONTACT

EMERGENCY AND FIRST AID PROCEDURES

INGESTION: CALL A PHYSICIAN. IF SWALLOWED, DO NOT INDUCE VOMITING.

INHALATION: IF INHALED, REMOVE TO FRESH AIR. IF NOT BREATHING, GIVE

ARTIFICIAL RESPIRATION. IF BREATHING IS DIFFICULT, GIVE

OXYGEN.

SKIN CONTACT: IN CASE OF CONTACT, IMMEDIATELY FLUSH SKIN WITH PLENTY OF

WATER FOR AT LEAST 15 MINUTES WHILE REMOVING CONTAMINATED

CLOTHING AND SHOES. WASH CLOTHING BEFORE RE-USE.

IN CASE OF EYE CONTACT, IMMEDIATELY FLUSH WITH PLENTY OF EYE CONTACT:

WATER FOR AT LEAST 15 MINUTES.

SARA/TITLE III HAZARD CATEGORIES AND LISTS

ACUTE: YES CHRONIC: YES FLAMMABILITY: YES PRESSURE: NO REACTIVITY: NO

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865 MATERIAL SAFETY DATA SHEET

24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151

CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

MG169 M05 MAGNESIUM NITRATE, 6-HYDRATE PAGE: 5 EFFECTIVE: 01/04/94 ISSUED: 01/15/94

SECTION V - HEALTH HAZARD DATA (CONTINUED)

EXTREMELY HAZARDOUS SUBSTANCE: NO CERCLA HAZARDOUS SUBSTANCE: NO SARA 313 TOXIC CHEMICALS: NO TSCA INVENTORY: YES

SECTION VI - REACTIVITY DATA

STABILITY: STABLE HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

CONDITIONS TO AVOID: HEAT, SHOCK, FRICTION

INCOMPATIBLES: ORGANIC MATERIALS, COMBUSTIBLE MATERIALS, STRONG

REDUCING AGENTS

DECOMPOSITION PRODUCTS: OXIDES OF NITROGEN

-**9**-----

SECTION VII - SPILL & DISPOSAL PROCEDURES

STEPS TO BE TAKEN IN THE EVENT OF A SPILL OR DISCHARGE

WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING. KEEP COMBUSTIBLES (WOOD, PAPER, OIL, ETC.) AWAY FROM SPILLED MATERIAL. WITH CLEAN SHOVEL, CAREFULLY PLACE MATERIAL INTO CLEAN, DRY CONTAINER AND COVER; REMOVE FROM AREA. FLUSH SPILL AREA WITH WATER.

DISPOSAL PROCEDURE

DISPOSE IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE, AND LOCAL ENVIRONMENTAL REGULATIONS.

EPA HAZARDOUS WASTE NUMBER: D001 (IGNITABLE WASTE)

SECTION VIII - INDUSTRIAL PROTECTIVE EQUIPMENT

SECTION VIII - INDUSTRIAL PROTECTIVE EQUIPMENT

VENTILATION: USE ADEQUATE GENERAL OR LOCAL EXHAUST VENTILATION TO

KEEP FUME OR DUST LEVELS AS LOW AS POSSIBLE.

RESPIRATORY PROTECTION: NONE REQUIRED WHERE ADEQUATE VENTILATION CONDITIONS

EXIST. IF AIRBORNE CONCENTRATION IS HIGH, USE AN

APPROPRIATE RESPIRATOR OR DUST MASK.

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865
MATERIAL SAFETY DATA SHEET
24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151

24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151 CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

M0169 M05 MAGNESIUM NITRATE, 6-HYDRATE PAGE: 6
EFFECTIVE: 01/04/94 ISSUED: 01/15/94

EFFECTIVE: 01/04/94 ISSUED: 01/15/94

SECTION VIII - INDUSTRIAL PROTECTIVE EOUIPMENT (CONTINUED)

EYE/SKIN PROTECTION: SAFETY GOGGLES, UNIFORM, PROPER GLOVES ARE

RECOMMENDED.

SECTION IX - STORAGE AND HANDLING PRECAUTIONS

SAF-T-DATA* STORAGE COLOR CODE: YELLOW (REACTIVE)

STORAGE REQUIREMENTS

KEEP CONTAINER TIGHTLY CLOSED. STORE SEPARATELY AND AWAY FROM FLAMMABLE AND COMBUSTIBLE MATERIALS.

SECTION X - TRANSPORTATION DATA AND ADDITIONAL INFORMATION

DOMESTIC (D.O.T.)

PROPER SHIPPING NAME: MAGNESIUM NITRATE

HAZARD CLASS: 5.1

UN/NA: UN1474 PACKAGING GROUP: III

LABELS: OXIDIZER

REGULATORY REFERENCES: 49CFR 172.101

INTERNATIONAL (I.M.O.)

PROPER SHIPPING NAME: MAGNESIUM NITRATE

HAZARD CLASS: 5.1 I.M.O. PAGE: 5159 UN: UN1474 MARINE POLLUTANTS: NO PACKAGING GROUP: III

LABELS: OXIDIZING AGENT

REGULATORY REFERENCES: 49CFR PART 176; IMDG CODE

AIR (I.C.A.O.)

PROPER SHIPPING NAME: MAGNESIUM NITRATE

HAZARD CLASS: 5.1

UN: UN1474 PACKAGING GROUP: III

LABELS: OXIDIZING AGENT

REGULATORY REFERENCES: 49CFR PART 175; ICAO === WE BELIEVE THE TRANSPORTATION

DATA AND REFERENCES CONTAINED HEREIN TO BE FACTUAL AND THE OPINION OF QUALIFIED EXPERTS. THE DATA IS MEANT AS A GUIDE TO THE OVERALL CLASSIFICATION OF THE PRODUCT

AND IS NOT PACKAGE SIZE SPECIFIC, NOR SHOULD IT BE CONTINUED ON PAGE: 7

j

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865 MATERIAL SAFETY DATA SHEET

24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151

CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

EFFECTIVE: 01/04/94

MAGNESIUM NITRATE, 6-HYDRATE

ISSUED: 01/15/94

SECTION X - TRANSPORTATION DATA AND ADDITIONAL INFORMATION (CONTINUED) ______

> TAKEN AS A WARRANTY OR REPRESENTATION FOR WHICH THE COMPANY ASSUMES LEGAL RESPONSIBILITY. === THE INFORMATION IS OFFERED SOLELY FOR YOUR CONSIDERATION, INVESTIGATION, AND VERIFICATION. ANY USE OF THE INFORMATION MUST BE DETERMINED BY THE USER TO BE IN ACCORDANCE WITH APPLICABLE FEDERAL, STATE, AND LOCAL LAWS AND REGULATIONS. SEE SHIPPER REQUIREMENTS 49CFR 171.2, CERTIFICATION 172.204, AND EMPLOYEE TRAINING 49 CFR 173.1(B).

U.S. CUSTOMS HARMONIZATION NUMBER: 28342900005

NOTE: WHEN HANDLING LIQUID PRODUCTS, SECONDARY PROTECTIVE CONTAINERS MUST BE USED FOR CARRYING.

A = NOT APPLICABLE, OR NOT AVAILABLE;

= NOT ESTABLISHED. -

THE INFORMATION IN THIS MATERIAL SAFETY DATA SHEET MEETS THE REQUIREMENTS OF THE UNITED STATES OCCUPATIONAL SAFETY AND HEALTH ACT AND REGULATIONS PROMULGATED THEREUNDER (29 CFR 1910.1200 ET. SEQ.) AND THE CANADIAN WORKPLACE HAZARDOUS MATERIALS INFORMATION SYSTEM. THIS DOCUMENT IS INTENDED ONLY AS A GUIDE TO THE APPROPRIATE PRECAUTIONARY HANDLING OF THE MATERIAL BY A PERSON TRAINED IN, OR SUPERVISED BY A PERSON TRAINED IN, CHEMICAL HANDLING. THE USER IS RESPONSIBLE FOR DETERMINING THE PRECAUTIONS AND DANGERS OF THIS CHEMICAL FOR HIS OR HER PARTICULAR APPLICATION. DEPENDING ON USAGE, PROTECTIVE CLOTHING INCLUDING EYE AND FACE GUARDS AND RESPIRATORS MUST BE USED TO AVOID CONTACT WITH MATERIAL OR BREATHING CHEMICAL VAPORS/FUMES.

EXPOSURE TO THIS PRODUCT MAY HAVE SERIOUS ADVERSE HEALTH EFFECTS. CHEMICAL MAY INTERACT WITH OTHER SUBSTANCES. SINCE THE POTENTIAL USES ARE SO VARIED, BAKER CANNOT WARN OF ALL OF THE POTENTIAL DANGERS OF USE OR INTERACTION WITH OTHER CHEMICALS OR MATERIALS. BAKER WARRANTS THAT THE CHEMICAL MEETS THE SPECIFICATIONS SET FORTH ON THE LABEL.

BAKER DISCLAIMS ANY OTHER WARRANTIES, EXPRESSED OR IMPLIED WITH REGARD TO THE PRODUCT SUPPLIED HEREUNDER, ITS MERCHANTABILITY OR ITS FITNESS FOR A PARTICULAR PURPOSE.

THE USER SHOULD RECOGNIZE THAT THIS PRODUCT CAN CAUSE SEVERE INJURY AND EVEN DEATH, ESPECIALLY IF IMPROPERLY HANDLED OR THE KNOWN DANGERS OF USE ARE NOT HEEDED. READ ALL PRECAUTIONARY INFORMATION. AS NEW DOCUMENTED GENERAL SAFETY INFORMATION BECOMES AVAILABLE, BAKER WILL PERIODICALLY REVISE THIS MATERIAL SAFETY DATA SHEET.

N E: CHEMTREC, CANUTEC, AND NATIONAL RESPONSE CENTER EMERGENCY TELEPHONE NUMBERS ARE TO BE USED ONLY IN THE EVENT OF CHEMICAL EMERGENCIES INVOLVING CONTINUED ON PAGE: 8

J.T.BAKER INC. 222 RED SCHOOL LANE, PHILLIPSBURG, NJ 08865
MATERIAL SAFETY DATA SHEET
24-HOUR EMERGENCY TELEPHONE -- (908) 859-2151

CHEMTREC # (800) 424-9300 -- NATIONAL RESPONSE CENTER # (800) 424-8802

M0169 M05

MAGNESIUM NITRATE, 6-HYDRATE

PAGE: 8

EFFECTIVE: 01/04/94

ISSUED: 01/15/94

A SPILL, LEAK, FIRE, EXPOSURE, OR ACCIDENT INVOLVING CHEMICALS. ALL NON-EMERGENCY QUESTIONS SHOULD BE DIRECTED TO CUSTOMER SERVICE (1-800-JTBAKER) FOR ASSISTANCE.

COPYRIGHT 1994 J.T.BAKER INC. * TRADEMARKS OF J.T.BAKER INC.

===

APPROVED BY QUALITY ASSURANCE DEPARTMENT.