

# SAFETY DATA SHEET

## 1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Chemical Name: SPARKLE

Application: Hard Water and Mineral Deposit Removal

Product Number: 2077

UN-Number: 1786

Manufacturer Information: Sunrise Environmental Scientific  
Remit: PO Box 10207 Reno, NV 89510  
Physical: 1175 Industrial Way Sparks, NV 89431  
Phone Number: 775-359-8494 or 800-648-1153  
Web: SUNRISENV.COM

Emergency Phone No.  
Chemtrec: 1-800-424-9300

Pages:3

## 2. HAZARDS IDENTIFICATION

Emergency Overview:

Signal Word: DANGER

Keep out of reach of children.

Potential Health Effects:

Inhalation: Excessive inhalation of vapors may cause irritation of the respiratory tract, lung edema, chest pain, vomiting, dizziness and/or headache.

Skin Contact: Skin contact may cause irritation and/or burning sensation of skin.

Ingestion: May cause serious health effects including vomiting, nausea and/or severe gastrointestinal burn.



## 3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredient:	CAS #	Component WT%	PEL	TLV	IDLH
*Hydrofluoric Acid	7664-39-3	1%≤10%	3 ppm	3 ppm	20 ppm
*Sulfuric Acid	7664-93-9	1%≤10%	1 mg/m <sup>3</sup>	1 mg/m <sup>3</sup>	80 mg/m <sup>3</sup>
Penetrating system	N/A	N/A	N/A	N/A	N/A
Foaming system	N/A	N/A	N/A	N/A	N/A

Comments: A proprietary formula. Strong acid causes eye burn. Use protective equipment.

## 4. FIRST AID MEASURES

Inhalation: Move to an uncontaminated area. Call physician immediately. If not breathing give artificial respiration. Give 3% calcium Gluconate solution by inhalation. Watch for edema of the upper airway.

Skin Contact: Flush with water, immediately remove all contaminated clothing. For concentrated contact apply calcium Gluconate gel

Ingestion: Do not induce vomiting, drink a large quantity of water and seek medical care.

Eye Contact: Immediately flush with plenty of water for at least 15 minutes. After initial flushing, remove any contact lenses and continue for at least 15 minutes, followed by 17% calcium Gluconate solution rinse and seek physician help immediately.

Additional Information: None

## 5. FIRE FIGHTING MEASURES

Flash Point: Not flammable.

Upper Flammable Limit (UEL): N/A

Lower Flammable Limit (LEL): N/A

Auto Ignition: N/D

Rate of Burning: N/D

General Fire Hazards: Possibility of skin and eye burns from fumes, steam or from spray.

Hazardous Combustion Product: May produce irritating acid fumes. Carbon Monoxide/Sulfur Oxide.

Extinguishing Media: Foam, Co2 and/or dry chemicals.

Fire Fighting Equipment/Instructions: Use SCBA equipment with full face piece operated in the positive pressure mode.

NFPA Rating: (Flammability 0) (Health 3) (Reactivity 1)

## **6. ACCIDENTAL RELEASE MEASURES**

**Personal Precautions:** Avoid skin contact. Use chemical resistant gloves, safety goggles or face shield and protective clothing. Do not apply the acid above the eye level. When using strong acid use extreme caution and read the label completely before use.

**Environmental Precautions:** Isolate and evacuate the spilled area. Prevent additional further leakage or spillage, if safe to do so.

**Method for Cleanup & Containment:** Wear appropriate protective equipment and clothing during the clean-up. By utilizing personal protective equipment (PPE) dilute with water fog, neutralize with lime. Isolate spill and Use non-combustible material like vermiculite, sand, clay or other absorbance material to absorb the spilled liquid.

**Additional Information:** Follow local and federal regulations with regard to chemical spills.

## **7. HANDLING AND STORAGE**

**Handling Procedure:** Avoid breathing mist or vapors. Avoid prolonged contact with skin. Avoid contact with eye. Wear suitable PPE.

Wash hands thoroughly after handling the product.

**Storage Procedures:** Keep in away from reactive chemicals in a cool, well ventilated area.

## **8. EXPOSURE CONTROL / PERSONAL PROTECTION**

**Occupational Exposure Limits:**

**ACGIH Components:** Use ventilation adequate to maintain TLV.

**OSHA Components:** No

**Engineering Measures:** Use fan in confined area. Use local exhaust ventilation.

**Personal Protective Equipment (PPE):** Utilize suitable protective clothing, and other appropriate PPEs to protect eyes and hands.

**Hygiene Recommendations:** Use caution appropriate to strong acids utilizing goggles, face shield, chemical resistant gloves boots and apron.

Consider the effect of exposure potentials, handling practices, chemical concentration and ventilation.

## **9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance:** Clear

**Physical State:** Liquid

**Vapor Pressure:** N/A

**Boiling Point:** 214°F

**Solubility (H<sub>2</sub>O):** Soluble in water

**Freezing Point:** N/D

**Odor:** Sharp Sulfur like aroma

**pH:** N/D

**Density:** N/D

**Vapor Density:** N/A

**Melting Point:** N/D

**Specific Gravity:** 1.04

**VOC:** 0.0%

## **10. STABILITY AND REACTIVITY**

**Chemical Stability:** Stable under normal conditions.

**Conditions to Avoid:** Contact with reactive metals.

**Incompatibility:** Oxidizing agents, strong chemicals and active metal cyanides.

**Hazardous Decomposition:** When heated to decomposition, emits toxic oxides of sulfur.

**Hazardous Polymerization:** Will not occur.

## **11. TOXICOLOGICAL INFORMATION**

**Route of Entry:** Inhalation, skin ingestion and eyes.

**Acute Chronic Toxicity Data:** Inhalation may cause lung edema. Eye exposure may cause irritation, burning, corneal damage with impairment of vision. Skin contact may cause irritation and burns. Ingestion can cause severe burns to entire gastrointestinal tract, including stomach and intestines.

**NTP:** No

**IARC Monographs:** No

**Carcinogenicity:** No component in this product is a carcinogenic.

**Chronic Toxicity:** Not established.

## 12. ECOLOGICAL INFORMATION

Ecotoxicity: N/D

Persistence and Degradability: N/D

Bioaccumulative potential: N/D

Mobility in Soil: N/D

Other Adverse effects: N/D

## 13. DISPOSAL CONSIDERATIONS

Disposal Instructions: Follow local and federal disposal regulations for corrosive material. It is recommended to pH neutralize with lime or baking soda and be solidified with stabilizing absorbent material before disposal.

## 14. TRANSPORTATION INFORMATION

US DOT Information: UN 1786, HYDROFLUORIC ACID AND SULFURIC ACID MIXTURE, 8, (6.1), PG I, CLASS 92.5

Marine Pollutant: Yes

Shipping Name: Sparkle

Required Label: Poison, Corrosive

## 15. REGULATORY INFORMATION

Classification: Poison, Corrosive

Hazard Symbol: Skull and Crossbones, Corrosive



US Federal Regulations:

OSHA'S Hazard Communication Rule, 29 CFR 1910.1200-Is a corrosive liquid, moderate skin irritant, moderate eye irritant and a skin sensitizer.

SARA Title III-This product does contain chemicals component with known CAS number that exceed the threshold reporting levels established by SARA Title III, section 313. Hydrofluoric Acid  $\leq 10\%$  and Sulfuric Acid  $\leq 10\%$ .

State Regulations:

California Prop. 65

This product does not contain any chemicals known to state of California to cause cancer, birth defects, or any other reproductive harm.

## 16. OTHER INFORMATION

SDS History

Date Prepared: 04/15/2014

Revision Date: 01/27/2015

Contact Information:

Sunrise Environmental Scientific

Remit: PO Box 10207 Reno, NV 89510

Physical: 1175 Industrial Way Sparks, NV 89431

Phone Number: 775-359-8494 or 800-648-1153

Web: SUNRISENV.COM

This SDS is designed only as guidance for the products to which it applies. To the greatest extent permitted by applicable law, nothing contained herein creates any legal obligation including contractual obligations, expressed or implied warranties, including any warranties of merchantability or fitness for particular purpose; or confers any intellectual property rights, including rights to use trademarks or a license to use patents, issued or pending. The information contained herein is based on the manufacturer's own study and the work of others, and is subjected to change at any time without further notice. There is no warranty, expressed or implied, as to the accuracy, completeness or adequacy of the information contained herein and neither the provider nor the manufacturer are liable to any party for any damages or nature. Including direct, special or consequential damages arising out of or in connection with accuracy, completeness, adequacy or furnishing of any information in this SDS, or in any other way related (directly or indirectly) to this SDS. The receipt and use of this information constitutes consent to these terms and conditions. The recipients are advised to confirm in advance of need that the information is current, applicable and suitable to their circumstances.